

Order : Crude Glycerine and Glycerine "technical grade"



**ASG**  
Analytik-Service

**Please fill in on the PC & enclose with the consignment**

Phone: +49 (0)821 450423-0  
E-Mail: registration@asg-analytik.de

An  
ASG Analytik-Service AG

Trentiner Ring 30  
D-86356 Neusäß

Sample description


Urgency:  urgent (Attention, 30% urgency surcharge)

Parameter	Minimum sample quantity	Method	Single measurements please mark
Acetate & Formate	50 ml	ASG 1915	<input type="checkbox"/>
Acid number	50 ml	DIN EN 14104	<input type="checkbox"/>
Ash content	50 ml	BS 5711-6	<input type="checkbox"/>
Chloride content	50 ml	ASG 2207	<input type="checkbox"/>
Density at 15 °C	50 ml	DIN EN ISO 12185	<input type="checkbox"/>
Dynamic viscosity (per test temperature)	50 ml	EN ISO 3219	<input type="checkbox"/>
Glycerol content	20 ml	BS 5711-1979	<input type="checkbox"/>
Kinematic viscosity at 40 °C	50 ml	ASTM D 7042	<input type="checkbox"/>
Methanol content	10 ml	ASG 2026	<input type="checkbox"/>
MONG (Matter Organic Non Glycerol)	50 ml	BS 5711-9	<input type="checkbox"/>
Element content (S, P, Na, K, Ca, Mg)	10 ml	DIN 51399-2	<input type="checkbox"/>
Water content	50 ml	BS 5711-8	<input type="checkbox"/>
Calorific value, gross/net	50 ml	ASG 3201	<input type="checkbox"/>
<b>Complete Crude Glycerine</b>	1000 ml		



**Further desired test parameters and comments:**


**Address:**

Company	:	<input type="text"/>
Contact person	:	<input type="text"/>
Street	:	<input type="text"/>
ZIP, City	:	<input type="text"/>
Phone / Fax	:	<input type="text"/>
e-Mail	:	<input type="text"/>
VAT-ID:	:	<input type="text"/> (for first order from EU countries)

Date

\_\_\_\_\_  
Signature